


AUH-4050

11-IN-1 USB-C Multiport Docking Station Supports Dual HDMI, VGA Port, USB 3.2, PD, RJ45, TF, SD Cards Reader





Features & Technical Specifications

■ TYPE C Connection

Works with most newer laptops and phones. Compact and lightweight, with user-friendly non-slip design for easier plug and unplug. Fits snugly with the USB-C ports on your devices, better signal transfer protection.

■ Dual Video Output Via Dual HDMI

It supports up to two 1080P resolutions @ 30 Hz via dual HDMI with no transmission loss and delay. You could enjoy cinema-like experience easily at home.

■ Up to 65W Power Delivery

Charge your devices using the PD port or USB-A 3.2 ports achieving up to 65W power delivery.

■ Fast and Stable Internet Connection

Equipped with an RJ-45 port, you can seamlessly connect your laptop to become hard wired for a fast and stable connection to your internet up to 1000Mbps.

■ Multiple Displays

Extend your devices display by up to three monitors via two 4k/30Hz HDMI and one 1080P/60Hz VGA port, creating the perfect work environment. (Using all three simultaneously only supports 1080P)

■ Up To 5Gbps Transfer Speeds

Transfer files at fast speeds and stable connection via the USB 3.2 Gen1 Type-C port, Also includes 3 USB 3.2 ports for a maximum of 5 Gbps transfer speed. You can use the built-in SD/TF slots for file transfers from one device to another.

■ Thunderbolt 3 Compatible

Compatible with most USB-C ports, however not all are compatible. Only works with thunderbolt 3 port interfaces which support "DisplayPort Alternate Mode".

Specifications:

Connection: 1x Type-C port,

2x USB-A 3.2 (5 Gbps), 1x USB-C 3.2 (5 Gbps),

1x PD (up to 100W),

2x HDMI (Single Output: 4K/60Hz, Dual Output: 1080P/30Hz)

1x VGA (1080P/60Hz), 1x TF, 1xSD Cards Reader(480 Mbps),

1x RJ45 (10/100/1000 Mbps)

Current Output USB Type-C, PD 3.0, PD 5V-20V, max 5A, up to 65W

HDMI Max Refresh Rate:

3.6" x 3.6" x 1.2" (92 x 92x 30mm) Dimension:

Weight: 4.4 oz (145 g) Cable Length: 39.4 Inch (100 cm)

Requirements:

Operating System: Windows® 11/10/8/7, Android, Mac OS X

Connectivity Interface: An Available USB Type C port.

Includes:

AUH-4050 **Quick Start Guide** 65W PD Adapter

Shipping Information:

ltem	UPC Code	Box Dimensions	Box Wt.	Qty/Ctn
AUH-4050	783750012195	6.1" x 3.54" x 1.18"	2 oz	10
AUH-4050-UK	783750012249	6.1" x 3.54" x 1.18"	2 oz	10
AUH-4050-EU	783750012256	6.1" x 3.54" x 1.18"	2 oz	10







Country of Origin: Taiwan

Description





Up To 5Gbps Transfer Speeds

Transfer files at fast speeds and stable connection via the USB 3.2 Gen1 Type-C port. Also includes 2 USB-A 3.2 ports for a maximum of 5 Gbps transfer speed. You can use the built-in SD/TF slots for file transfers from one device to another.

